



EASYTRACK 2 POSTS

Pressure fit system for portable ceiling lifts

ARJOHUNTLEIGH
GETINGE GROUP



The Easytrack is a pressure fit system requiring no permanent installation.

This system allows for vertical transfers. It can be installed above a bed because of the track wide range.


	Part #	Description
1	9220010	Easytrack - 2 Post (Ceiling lift sold separately)
2	700.10720	Extendable track & standard trolley 1300-1900 mm (52-75")
	700.10750	Extendable track & standard trolley 3000 mm (118")
3	700.10500	Standard post
4	700.10230	Post strip (2 pieces)
5	700.10350	Round foot plate for post
6	700.10600	Clip-on level
7	700.10400	Top plate
8	200.10720	Easytrack end cap
9	000.03280	Allen key 6mm
10	700-08310	Reacher - 610 mm (24")
	700-08320	Reacher - 910 mm (36")
11	002.10450	Easytrack transport bag



Product Information

Max. safe working load (SWL)	200 kg (440 lb)
Weight	20 kg (44 lb)
Range	
Length of rail	1900 - 3160 mm (74" to 124½")
Length of post	2130 - 2745 mm (84" to 108")
Material	Aluminium
Ceiling plate	510 mm (20")
Floor plate	120 mm (4.8")
Compliant with:	ISO 10535:2006

Product dimensions (#9220010)





**EASYTRACK 3 POSTS
WITH PIVOTING TRACK**
**Pressure fit system for portable
ceiling lifts**

ARJOHUNTLEIGH
GETINGE GROUP



The Easytrack is a pressure fit system requiring no permanent installation.

When using the 3 posts configuration with a pivoting track, the variation of the Easytrack system enables for straight line lifting within the transfer area generated by the pivoting track.


	Part #	Description
1	9330010	Easytrack - 3 Post (Ceiling lift sold separately)
2	700.10850	Pivoting extendable track 3000 mm (118 in) & trolley
3	700.10800	Extendable track 3000 mm (118 in) & swivel trolley
4	700.10455	Pivoting post assembly
5	700.10560	Pivoting hooking tube assembly
6	700.10500	Standard post
7	200.10720	Round endcap
8	000.03280	Allen key 6mm
9	700.10600	Clip-on level
10	700.10400	Top plate for post
11	700.10350	Round foot plate for post
12	700.10230	Plastic post strip (2 pieces)
13	200.11050	End cap
14	200.10780	Protector for track
15	700.10720	Extendable track 1300-1900 mm (52-75") & trolley
16	002.10450	Easytrack transport bag
17	700-08310	Reacher - 610 mm (24")
	700-08320	Reacher - 910 mm (36")



Product Information

Max. safe working load (SWL)	200 kg (440 lb)
Weight	42.5 kg (93.5 lb)
Range	
Length of rail (fixed)	1900 - 3160 mm (74" to 124½")
Length of post (pivoting)	1900 - 3160 mm (74" to 124½")
Length of post	2130 - 2745 mm (84" to 108")
Material	Aluminium
Ceiling plate	510 mm (20")
Floor plate	120 mm (4.8")
Compliant with:	ISO 10535:2006


Product dimensions (#933010)





EASYTRACK 4 POSTS WITH
MOVING 3RD TRACK
**Pressure fit system for portable ceiling
lifts**

ARJOHUNTLEIGH
GETINGE GROUP



The Easytrack is a pressure fit system requiring no permanent installation.

The 4 posts configuration with moving 3rd track of the Easytrack system works on two X-Y axes while optimizing lifting options anywhere within the transfer area.


	Part #	Description
1	9440030	Easytrack - 4 Post (Ceiling lift sold separately)
2	700.10250	X-Y Tracks 3000 mm (118")
3	700.11005	KWIKtrak autolock track stopper
4	700.10650	Trolley for portable lifts/Easytrack
5	200.11050	Endcap
6	700-11225	X-Y mobile trolley
7	200.10730	Drilling JIG for track hook
8	700.10600	Clip-on level
9	203.03280	Allen key 6mm
	203.02505	Allen key 4mm
10	200.10720	Round endcap
11	700.10400	Top plate for post
12	700.10350	Round foot plate for post
13	700.10230	Post strip (2 pieces)
14	700.10500	Standard post
15	700-08310	Reacher - 610 mm (24")
	700-08320	Reacher - 910 mm (36")
16	002.10450	Easytrack transport bag (Custom bags are required if tracks are greater than 1830 mm (72 in))




Product Information

Max. safe working load (SWL)	200 kg (440 lb)
Weight	57 kg (125 lb)
Range	
Length of rail	3000 mm (118")
Length of post	2130 - 2745 mm (84" to 108")
Material	Aluminium
Ceiling plate	510 mm (20")
Floor plate	120 mm (4.8")
Compliant with:	ISO 10535:2006

Product dimensions (#9440030)





EASYTRACK 1 POST WITH A WALL BRACKET

Pressure fit system for portable ceiling lifts


ARJOHUNTLEIGH
GETINGE GROUP



This combination allows to securely anchor a wall bracket on one side and a pressure fitted post on the other where anchoring is not possible.

Other versatile options are available such as 3 post, 4 post, bath tub adaptor and wall bracket configurations


	Part #	Description
1	9211010	Easytrack - 1 Post + 1 Wall bracket
2	700.10750	Extendable track 3000 mm (118") & trolley
3	700.10860	Wall bracket kit - 1000 mm (39")
4	700.10500	Standard post
5	700.10650	Trolley for portable lifts/Easytrack
6	200.10720	Round end cap
7	700.10600	Clip-on level
8	700.10400	Top plate for post
9	700.10350	Round foot plate for post
10	700.10230	Post strip (2 pieces)
11	000.03280	Allen key 6mm
	203.02505	Allen key 4mm
12	002.10450	Easytrack transport bag
13	700.10720	Extendable track 1300-1900 mm (52-75") & trolley
14	700-08310	Reacher - 610 mm (24")
	700-08320	Reacher - 910 mm (36")



Product Information

Max. safe working load (SWL)	200 kg (440 lb)
Weight	20 kg (44 lb)
Range	1900 - 3160 mm (74" to 124½")
Length of rail	2130 - 2745 mm (84" to 108")
Length of post	
Material	Aluminium
Ceiling plate	510 mm (20")
Floor plate	120 mm (4.8")
Compliant with:	ISO 10535:2006

Product dimensions (#9211010)





EASYTRACK 2 WALL BRACKETS

Wall mounting system

ARJOHUNTLEIGH
GETINGE GROUP



Ceiling not suitable for a pressure fit mounting?


also be fastened to the wall in various configurations.

In this option, there are two wall brackets which support a track thus permitting lifting all along this track. Easytrack can

Product Information

Max. safe working load (SWL)	200 kg (440 lb)
Weight	42.5 kg (93.5 lb)
Range	
Length of rail (fixed)	1900 - 3160 mm (74" to 124½")
Length of post (pivoting)	1900 - 3160 mm (74" to 124½")
Length of post	2130 - 2745 mm (84" to 108")
Material	Aluminium
Ceiling plate	510 mm (20")
Floor plate	120 mm (4.8")
Compliant with:	ISO 10535:2006

	Part #	Description
1	9202010	Easytrack - 2 wall brackets
2	700.10750	Extendable track 3000 mm (118") & trolley
3	000.03280	Allen key 6mm
4	700.10860	Wall bracket kit - 1000 mm (39")
5	700.10720	Extendable track 1300-1900 mm (52-75") & trolley
6	002.10450	Easytrack transport bag
7	700-08310	Reacher - 610 mm (24")
	700-08320	Reacher - 910 mm (36")





EASYTRACK 2 POSTS
WITH A WALL BRACKET
AND PIVOTING TRACK
**Pressure fit system for portable
ceiling lifts**

ARJOHUNTLEIGH
GETINGE GROUP




The combination allows to securely anchor a wall bracket on one side and a pressure fitted posts on the other where anchoring is not possible.

Other versatile options are available such as 2 post, 3 post, 4 post and bath tub adaptor configurations.

Product Information

Max. safe working load (SWL)	200 kg (440 lb)
Weight	42.5 kg (93.5 lb)
Range	
Length of rail (fixed)	1900 - 3160 mm (74" to 124½")
Length of post (pivoting)	1900 - 3160 mm (74" to 124½")
Length of post	2130 - 2745 mm (84" to 108")
Material	Aluminium
Ceiling plate	510 mm (20")
Floor plate	120 mm (4.8")
Compliant with:	ISO 10535:2006



	Part #	Description
1	9321010	Easytrack - 2 posts and 1 wall bracket
2	700.10850	Pivoting extendable track 3000 mm (118") & trolley
3	700.10800	Extendable track 3000 mm (118") & swivel trolley
4	700.10860	Wall bracket kit - 1000 mm (39")
5	700.10500	Standard post
6	200.10720	Round end cap
7	000.03280	Allen key 6mm
8	700.10600	Clip-on level
9	700.10400	Top plate for post
10	700.10350	Round foot plate for post
11	700.10230	Post strip (2 pieces)
12	200.11050	End cap
13	700.11005	KWIKtrak autolock track stopper
14	700-08310	Reacher - 610 mm (24")
	700-08320	Reacher - 910 mm (36")
15	700.10720	Extendable track 1300-1900 mm (52-75") & trolley
16	002.10450	Easytrack transport bag





EASYTRACK 3 WALL
BRACKETS SYSTEM WITH
PIVOTING 2ND TRACK
Wall mounting system

ARJOHUNTLEIGH
GETINGE GROUP



Ceiling not suitable for a pressure fit mounting?


Easytrack can also be fastened to the wall in various

configurations like this three wall brackets system with a pivoting 2nd track for greater room covering.

Product Information

Max. safe working load (SWL)	200 kg (440 lb)
Weight	42.5 kg (93.5 lb)
Range	
Length of rail (fixed)	1900 - 3160 mm (74" to 124½")
Length of post (pivoting)	1900 - 3160 mm (74" to 124½")
Length of post	2130 - 2745 mm (84" to 108")
Material	Aluminium
Ceiling plate	510 mm (20")
Floor plate	120 mm (4.8")
Compliant with:	ISO 10535:2006

	Part #	Description
1	9303010	Easytrack - 3 wall brackets
2	700.10850	Pivoting extendable track 3000 mm (118") & trolley
3	700.10800	Extendable track 3000 mm (118") & swivel trolley
4	700.10860	Wall bracket kit - 1000 mm (39")
5	000.03280	Allen key 6mm
6	700.11005	KWIKtrak autolock track stopper
7	700.10720	Extendable track 1300-1900 mm (52-75") & trolley
8	002.10450	Easytrack transport bag
9	700-08310	Reacher - 610 mm (24")
	700-08320	Reacher - 910 mm (36")





EASYTRACK 2 POSTS SYSTEM WITH A BATH ADAPTOR

**Pressure fit system for portable
ceiling lifts**

ARJOHUNTLEIGH
GETINGE GROUP




The Easytrack is a pressure fit system requiring no permanent installation.

By using the 2 posts configuration with a bath adaptor, it is possible to perform lifting from a wheelchair to the bath. This

variation of the Easytrack system allows for straight line transfers directly underneath the track. Other versatile options are available such as 2 posts, 3 posts, 4 posts and wall bracket configurations.

Product Information

Max. safe working load (SWL)	200 kg (440 lb)
Weight	42.5 kg (93.5 lb)
Range	
Length of rail (fixed)	1900 - 3160 mm (74" to 124½")
Length of post (pivoting)	1900 - 3160 mm (74" to 124½")
Length of post	2130 - 2745 mm (84" to 108")
Material	Aluminium
Ceiling plate	510 mm (20")
Floor plate	120 mm (4.8")
Compliant with:	ISO 10535:2006



	Part #	Description
1	9220110	Easytrack - 2 posts & bath adaptor
2	700.10880	Bath adaptor
3	700.10750	Extendable track 3000 mm (118") & trolley
4	700.10455	Pivoting post assembly
5	700.10500	Standard post
6	200.10720	Round end cap
7	700.10600	Clip-on level
8	700.10400	Top plate for post
9	700.10350	Round foot plate for post
10	700.10230	Post strip (2 pieces)
11	000.03280	Allen key 6mm
12	700.10720	Extendable track 1300-1900 mm (52-75") & trolley
13	002.10450	Easytrack transport bag
14	700-08310	Reacher - 610 mm (24")
	700-08320	Reacher - 910 mm (36")





EASYTRACK 3 POST SYSTEM WITH A BATH ADAPTOR

**Pressure fit system
for portable ceiling lifts**

ARJOHUNTLEIGH
GETINGE GROUP

